

SHARP®

COLOR WORKGROUP DOCUMENT SYSTEM



MX-2630N



"Outstanding Achievement in Innovation"
Web User Interface

Enhanced integration and powerful productivity for small to medium size offices and workgroups.

FEATURE RICH AND STRONG VALUE

versatile

The Sharp MX-2630N color workgroup document system offers stunning color output with exceptional ease of use. This new model is designed to provide customers with a seamless, intuitive experience, and the confidence in knowing their jobs will come out right the first time, every time. The MX-2630N focuses on value as well as user operability, and draws inspiration from the latest networking and imaging technologies available today.

Key Features

- **Ease of Use** – Sharp's customizable touchscreen display offers a user-friendly graphical interface.
- **Productivity** – Standard copy/print/scan capability out-of-box.
- **Integration** – Available Sharp OSA® modules enable easy integration with network applications and cloud services, which can unlock advanced capabilities to help you better manage your workflow.

- Standard **100-sheet reversing single-pass document feeder** scans documents at speeds up to 80 images per minute (ipm).
- Flexible paper handling supports media up to **110 lb. cover (300 gsm)** and up to **12" x 18"** through the paper trays, allowing you to print on a wide variety of media.
- **Easily access popular cloud applications**, including Microsoft® OneDrive™ for Business, SharePoint® Online, and Google Drive™ with Sharp's available Cloud Connect features.
- Network-ready **PCL® 6** and available **Adobe® PostScript® 3™** printing systems combined with available DirectOffice™ technology lets you direct print PDFs, select Microsoft Office formats, and more!
- **600 x 600** dpi print resolution provides clear, crisp images and enhanced clarity for fine details such as small text and graphics.
- Sharp's **Color Consistency System** with next generation image process control delivers high-quality color output and maintains optimum color balance and toner density page after page.
- Available **wireless networking** feature can connect the machine directly to your network or to mobile devices for convenient printing and scanning with the **Sharpdesk® Mobile App**.
- **7"** (diagonally measured) **customizable touchscreen display** enables easy access to features and functions.



< MX-2630N shown with compact inner finisher.

ENHANCED FUNCTIONALITY – INTUITIVE DESIGN



Standard 100-sheet reversing document feeder.



Easy-to-use, compact design.



Distribute, access and print documents more easily.



Flexible configurations for any size office.



Sharp is committed to environmental leadership.

From paper handling to networking, the MX-2630N color document system will exceed your expectations.

Simple and Intuitive Operation

From the most basic of copy functions, to the most complex scan jobs, the MX-2630N color document system will perform them with ease and efficiency. Use one of the **Easy Modes** for fast, simple operation, with basic functions displayed in **large, clearly-labeled tiles** and keys. Or for more advanced features, just touch the “Details” button—it’s that easy.

The Productivity You Need, the Performance You Want

When it’s time to get the job done, the MX-2630N color document system is an outstanding performer. Quickly scan documents at speeds up to **80 images per minute**. Then use the **manual stapling feature** on select finishers to restaple your originals. **Multiple finishing options** give you the output you require, be it stacked, stapled, or saddle-stitched.

Flexible Printing Solutions Help Speed Up Your Office Productivity

The MX-2630N offers standard **PCL 6** and available **Adobe PostScript 3** printing systems to help you speed through all of your output needs with accuracy. And with Google Cloud Print web printing service, you can print from Chromebook™ notebook computers, PCs and more from virtually anywhere.

Distribute, Access and Print Your Documents with Ease

Sharp makes it easy to send documents to the destinations you need and goes beyond traditional network scanning with standard **Cloud Connect** features. Easily **scan documents** to **Microsoft OneDrive for Business, SharePoint Online, and Google Drive** without additional middleware. You can also print from these cloud applications. With **Single Sign-On** capability, accessing them is virtually seamless!

Taking care of business safely and securely with environmental commitment in mind.

Sharp Helps Protect Your Business

To help protect employees’ privacy and intellectual property, the MX-2630N is armed with a variety of security measures, including features such as **data encryption, data overwrite protection, and data erase**. Multiple **security protocols** help restrict access to the device while in operation, and a convenient **End-of-Lease** feature overwrites all data at time of trade-in. **Confidential Printing** helps ensure that sensitive documents are kept safe by requiring users to enter a PIN code in order to print them.



These scalable security offerings aim to **protect your intellectual property**, preserve confidential information and help your business meet regulatory requirements including the Health Insurance Portability and Accountability Act (HIPAA) and the Family Educational Rights and Privacy Act (FERPA). For additional information visit: www.sharppusa.com/security.

An Environmentally Responsible Approach to Product Design

Sharp is **committed to environmental sustainability** and corporate responsibility including planning, design, manufacturing, distribution and product end-of-life management. The MX-2630N adheres to Sharp’s Green Products Guidelines in pursuit of these commitments. These guidelines include designing products that consume less power, using recycled materials, reducing the amount of material used in products and packaging, and labeling the type of materials used. Sharp also aims to design products that are upgradable, easy to repair, and easy to take apart for recycling.

The MX-2630N document system is **ENERGY STAR®** qualified and **RoHS compliant** to restrict the use of hazardous substances. This product also has low TEC values. Sharp MFPs are **EPEAT®** registered.

MX-2630N SPECIFICATIONS

Main Specifications

| MX-2630N | Base model includes multitasking controller, 100-sheet RSFP and PCL® 6 printing system, network scanning, auto duplexing, 1 x 550-sheet paper drawer, 100-sheet bypass tray. Black and color developer is included. | | | | | | | | | |
|---|---|-------|------|-------|--------------|-----|-----|------|-----|-----|
| Type | Color multi-function digital document system | | | | | | | | | |
| Display | 7" (diagonally measured) color dot matrix high-resolution touch panel tilting display. 1,024 x 600 dots (W-SVGA) | | | | | | | | | |
| Functions | Copy, print, network print, network scan, document filing and fax ¹ | | | | | | | | | |
| Copy System | Dry electrostatic transfer/Dual component developer/Magnetic brush development/OPC drums/Belt fusing/white LED exposure | | | | | | | | | |
| Originals | Sheets and bound documents | | | | | | | | | |
| Max. Original Size | 11" x 17" | | | | | | | | | |
| Output Size | Min. 5½" x 8½", Max. 11" x 17" + 12" x 18" | | | | | | | | | |
| Output Speed | 26 ppm B&W/Color (8½" x 11") | | | | | | | | | |
| Multiple Copy | Max. 9,999 copies | | | | | | | | | |
| First Copy Time (in seconds)² | <table border="1"> <thead> <tr> <th></th> <th>Mono</th> <th>Color</th> </tr> </thead> <tbody> <tr> <td>Platen Glass</td> <td>4.7</td> <td>6.7</td> </tr> <tr> <td>RSFP</td> <td>7.6</td> <td>9.7</td> </tr> </tbody> </table> | | Mono | Color | Platen Glass | 4.7 | 6.7 | RSFP | 7.6 | 9.7 |
| | Mono | Color | | | | | | | | |
| Platen Glass | 4.7 | 6.7 | | | | | | | | |
| RSFP | 7.6 | 9.7 | | | | | | | | |
| Warm Up Time | 33 seconds (from main switch on), 20 seconds (from power button on) | | | | | | | | | |
| Magnification | 25% to 400% in 1% increments (with document feeder 25% - 200%) | | | | | | | | | |
| Original Feed | 100-sheet RSFP with original size detection. | | | | | | | | | |
| Scan Speed | Copy: Up to 80 ipm (B&W)/41 ipm (Color) Scan: Up to 80 ipm (B&W/Color) | | | | | | | | | |
| Original Sizes | 5½" x 8½", 8½" x 11", 8½" x 11" R, 8½" x 14", 11" x 17" | | | | | | | | | |
| Paper Capacity | Standard: 650 Sheets/Maximum: 6,300 Sheets | | | | | | | | | |
| Paper Feed System | Standard: (1) 550-sheet paper drawer (letter/legal/ledger/statement size) and 100-sheet bypass tray (letter/legal/ledger/statement/envelope size). Optional: Single, double, or triple drawer paper deck (550, 1,100, or 1,650 sheets), split tandem paper drawer (2,100 sheets letter only) plus (1) 550-sheet paper drawer (letter/legal/ledger/statement size). | | | | | | | | | |
| Paper Weights and Types | Paper drawers: 18 lb. bond to 110 lb. cover. Split tandem drawers: 18 lb. bond to 28 lb. bond. Other paper types include plain, pre-printed, recycled, pre-punched, letterhead and color paper. Bypass tray: 16-28 lb. bond (plain paper), 13-16 lb. bond (thin paper), 28 lb. bond-110 lb. cover (heavy paper), 20-24 lb. bond (Monarch/Com-10 envelope), tab paper (letter). Also label paper, gloss paper, pre-printed, recycled, pre-punched, letterhead, color paper and OHP film. | | | | | | | | | |
| Duplexing | Standard automatic duplex copying and printing | | | | | | | | | |
| CPU | Up to 1.75 GHz multi-processor design | | | | | | | | | |
| Interface | 10/100/1000 Base-T Ethernet, USB 2.0: 2 host ports (front and rear), 1 available device port (rear), wireless 802.11 b/g/n | | | | | | | | | |
| Memory | Standard 5 GB copy/print (shared)/Hard Disk Drive: 250 GB | | | | | | | | | |
| Hard Disk Drive | 250 GB | | | | | | | | | |
| Copy Resolution | Scan: 600 x 600 dpi (B&W/Color) Copy Output: Up to 600 x 600 dpi | | | | | | | | | |
| Color Modes | Auto Color Selection (ACS), Full Color Mode, Monochrome (B/W) | | | | | | | | | |
| Exposure Control | Modes: Automatic, Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color Document. Settings: Auto or 9 step manual | | | | | | | | | |
| Halftone | 256 gradations/2 levels (monochrome) | | | | | | | | | |
| Copy Features | Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Selection (ACS), Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift, mirror image, mixed size original, multi-page enlargement, original count, pamphlet style, proof copy, repeat layout, reserve copy, rotated copy, stamp, stamp custom image, suppress background, tab copy, tab-paper insertion, tandem copy, toner save mode, transparency inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot | | | | | | | | | |
| Account Control | Up to 1,000 users. Supports user authentication via local, LDAP, and Active Directory® for copy, print, scan and document management. | | | | | | | | | |
| Output Tray Capacity | Center Exit Tray (Main): 250 sheets (face down) Job Separator (Upper Tray): 100 sheets (face down) Right Side Exit Tray: 100 sheets (face down) | | | | | | | | | |

Main Specifications (continued)

| | |
|---|--|
| Cloud Supported Services | Box, Google Cloud Print, Google Drive, OneDrive for Business, SharePoint Online |
| Network Protocols | TCP/IP (IPv4, IPv6, IPsec), HTTP/HTTPS, IPP/IPP-SSL, FTP/FTPS, SNMPv3, SMTP/SMTP-SSL, POP3/POP3-SSL, LDAP/LDAP-SSL, 802.1x for Windows and Unix. |
| Network and Data Security | Includes IP/MAC address filtering, protocol filtering, port control, TLS Encryption, Kerberos support, Active Directory integration, data encryption, End-of-Lease, data overwrite (up to 10x), DoD 5220.22-M |
| Firmware Management | Flash ROM with local (USB), network update capability and firmware update 1 to N with SRDM (Sharp Remote Device Manager) |
| Device Setup | Web-based management/cloning with user/administrator level login |
| Service/Functions | Remote Front Panel, remote access to service logs and click counts |
| Accessibility Features | Free stop tilting front panel, adjustment of key touch sound and speed, concave key, document feeder free stop, job programs, remote front panel, universal grip for paper trays, and disable screen timeout |
| Environmental Standards | International Energy Star Program Ver. 2.0, European RoHS, Blue Angel (RAL-UZ171) |
| Power Source | 110-127 V AC, 60 HZ, 15 A Receptacle |
| Power Consumption | 1.44 kW or less |
| Weight | Approx. 173 lbs. |
| Dimensions | Approx. 24" (w) x 26" (d) 33" (h) |
| Network Printing System | |
| PDL | Standard PCL 6 compatible, Adobe PostScript® 3 |
| Resolution | 600 x 600 dpi |
| Print Speed | 26 ppm (8½" x 11") |
| Print Drivers | Windows 7, Windows 8.1, Windows 10, Windows Server® 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows PPD, MAC OS X® (including 10.6 to 10.12), all MAC PPD, Linux® PPD |
| Mobile Printing | AirPrint, Android printing framework (Sharp Print Service Plugin), Sharpdesk Mobile ³ |
| Print Features | Auto configuration, serverless print release, bar code font printing, carbon copy print, chapter inserts, color adjustment settings, color mode, confidential print, continuous printing, custom image registration, different cover page/last page/other page, document control, document filing, duplex printing, electronic sorting, folding, form overlay, hidden pattern print, image rotation, image stamp, image type, job bypass print, job retention, layout print, margin shift, multiple pamphlet, network tandem print, N-up printing, offset stacking, page interleave, pamphlet style, poster print, proof print, print and send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authentication, watermarks, zoom print |
| Resident Fonts | 80 outline fonts (PCL), 139 fonts (PS) |
| Interface | RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless |
| Operating Systems and Environments | Windows 7, Windows 8.1, Windows 10, Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Mac OS X 10.6-10.12, UNIX®, Linux, Citrix® (XenApp 5.0-7.6), Windows Remote Desktop Services, SAP device types ¹ |
| Printing Protocols | LPR, IPP, IPPS, PAP, Raw TCP (port 9100), FTP, POP3, HTTP, LPD and LPR for Unix |
| Network Scanning System | |
| Scan Modes | Standard: Color, monochrome, grayscale |
| Max. Original Size | 11" x 17" |
| Optical Resolution | 600 dpi |
| Output Modes | 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi |
| Image Compression | Monochrome Scanning: Uncompressed, G3 (MH), G4 (MR/MMR) Color/Grayscale: JPEG (high, middle, low) Internet Fax mode: MH/MMR (option) ¹ |
| Image Formats | Monochrome: TIFF, PDF, PDF/A, Encrypted PDF, and XPS Color/Grayscale: TIFF, JPEG, PDF, PDF/A, Encrypted PDF, and XPS. Internet Fax: TIFF-FX, TIFF-F, and TIFF-S ¹ |

Network Scanning System (continued)

| | |
|-------------------------------|--|
| Scan Destinations | Email, Desktop, FTP, Folder (SMB), USB, Internet fax (option), Super G3 fax (option) |
| One-touch Destinations | Up to 2,000 (combined scan destinations) |
| Programs | 48 (combined) |
| Max. Jobs | Up to 100 |
| Software | Sharpdesk desktop personal document management software (1 user license included), Sharpdesk Mobile (download) |

Direct Printing System

| | |
|-------------------|---|
| File Types | TIFF, JPEG, PCL, PRN, TXT, PNG, DOCX, XLSX, PPTX, PDF, Encrypted PDF, and PostScript ¹ |
| Methods | FTP, SMB, Web page, Email and USB memory |

Optional Equipment

| | |
|------------------|---|
| MX-60ABD | Deluxe Copier Cabinet Base (with front door) |
| MX-DE25N | Stand/1 x 550-sheet Paper Drawer |
| MX-DE26N | Stand/2 x 550-sheet Paper Drawers |
| MX-DE27N | Stand/3 x 550-sheet Paper Drawers |
| MX-DE28N | Stand/1 x 550 + 2,100-sheet Split Tandem Paper Drawers |
| MX-LC17N | 3,000-sheet Large Capacity Cassette (letter, requires MX-DE25N/26N/27N/28N) |
| MX-LT10 | Long Paper Feeding Tray |
| MX-FN27N | 50-sheet Staple Inner Finisher |
| MX-FN28 | 1K Stacking 50-sheet Staple Finisher |
| MX-FN29 | 1K Stacking 50-sheet Staple/Saddle Stitch Finisher |
| MX-FN30 | 3K Stacking 65-sheet Staple Finisher |
| MX-FN31 | 3K Stacking 65-sheet Staple/Saddle Stitch Finisher |
| MX-RB25N | Paper Pass Unit (required for MX-FN28/29/30/31) |
| MX-PN14B | 3-Hole Punch Unit (requires MX-FN27N) |
| MX-PN15B | 3-Hole Punch Unit (requires MX-FN28/29) |
| MX-PN16B | 3-Hole Punch Unit (requires MX-FN30/31) |
| MX-SCX1 | Staple Cartridge for MX-FN27N/28/29 |
| AR-SC2 | Saddle-stitch Staple Cartridge for MX-FN29 |
| MX-SC11 | Staple Cartridge for MX-FN30/31 |
| MX-SC12 | Saddle-stitch Staple Cartridge for MX-FN31 |
| MX-TR19N | Right Side Exit Tray |
| MX-TR20 | Job Separator Tray |
| MX-EB18 | Wireless LAN Adapter |
| MX-FX15 | Fax Expansion Kit |
| MX-FWX1L | Internet Fax Kit |
| MX-PF10 | Bar Code Font Kit |
| MX-PK13L | Adobe PostScript 3 Expansion Kit |
| MX-PU10L | Direct Print Expansion Kit |
| AR-SU1 | Stamp Unit (requires AR-SV1 Stamp Cartridge) |
| AR-SV1 | Stamp Cartridge |
| MX-AMX1L | Application Integration Module |
| MX-AMX2L | Application Communication Module |
| MX-AMX3L | External Accounting Module |
| MX-FR51U | Commercial Data Security Kit |
| DVENDFS | Generic Vendor Interface Kit |
| Supplies | |
| MX-60NTBA | Black Toner Cartridge |
| MX-60NTCA | Cyan Toner Cartridge |
| MX-60NTMA | Magenta Toner Cartridge |
| MX-60NTYA | Yellow Toner Cartridge |
| MX-60NVBA | Black Developer |
| MX-60NVSA | Cyan/Magenta/Yellow Developer |
| MX-60NRSA | Drum |
| MX-607HB | Toner Collection Container |

¹ Some features require optional equipment. See your local dealer.

² May vary depending on product configuration, machine settings and operating and/or environmental conditions.

³ Go to www.sharpsusa.com for a list of supported devices and operating systems.



SHARP ELECTRONICS CORPORATION
100 Paragon Drive, Montvale, NJ 07645
1-800-BE-SHARP • www.sharpsusa.com

Design and specifications subject to change without notice. Sharp, Sharp OSA, Sharpdesk, My Sharp and all related trademarks are trademarks or registered trademarks of Sharp Corporation and/or its affiliated companies. Windows, Windows Server, Excel, PowerPoint, OneDrive and SharePoint are registered trademarks of Microsoft Corporation. Android, Google Drive, Google Cloud Print and Chromebook are registered trademarks of Google Inc. PCL is a registered trademark of Hewlett Packard Company. Adobe and PostScript are registered trademarks of Adobe Systems Inc. DirectOffice is a trademark of CSR Imaging US, LP, registered in the United States and other countries, used with permission. All other trademarks are the property of their respective owners.