

ESSENTIALS SERIES DESKTOP MONOCHROME DOCUMENT SYSTEMS



The MX-B350W and MX-B450W multifunction desktop monochrome document systems offer a compact design with easy to use features that will exceed your expectations.

SIMPLIFIED WORKFLOW WITH WIRELESS CONNECTIVITY

SIPIUSS

The MX-B350W and MX-B450W Essentials Series desktop monochrome document systems offer a compact footprint and wireless networking capability, ensuring they are suitable for virtually any size office. These models also deliver output speeds up to 35 ppm and 45 ppm respectively, and include out-of-the-box copying, wireless and network printing, network scanning and faxing capabilities. Both models deliver a low cost per copy, making them a great choice for cost-conscious businesses.

Key Features

- Productivity Delivers essential features for business environments, including network printing, network scanning, faxing, USB direct printing, and mobile device printing using Sharpdesk® Mobile.
- Versatile A compact design combined with wireless networking capability makes it easy to
 place the MX-B350W and MX-B450W in both large and small offices.
- Economical Exceptionally low cost per copy/print along with minimal energy consumption ensure
 an economical cost of ownership.

The MX-B350W and MX-B450W Essentials Series desktop monochrome document systems offer a simplified interface with tactile operation, which allow users to quickly access the feature-rich functionality. Designed with the user in mind the MX-B350W and MX-B450W will provide your business with the features and reliability needed in today's busy workplace environments.

DESIGNED TO DELIVER HIGH PRODUCTIVITY



OUT-OF-THE-BOX PRODUCTIVITY

VERSATILE DESIGN

ECONOMICAL OPERATION

Additional features to help your business gain the competitive advantage.

- . Standard copy, print, scan and fax functionality out of the box
- . Compact design easily fits into small office spaces in desktop or console configuration
- 50-sheet reversing single pass feeder scans at speeds up to 40 images per minute
- Offers up to three paper sources with an available 1,150-sheet maximum paper capacity
- 50-sheet bypass tray for envelopes, labels and specialty media
- Productive printing and copying: up to 35 ppm (MX-B350W) and 45 ppm (MX-B450W)
- Standard PostScript® 3™ and PCL® 6 printing capabilities



Easy-to-use 5-line LCD operation panel

- Front **USB** port for **easy direct printing** of PDF files from memory devices
- 600 x 600 dpi printing delivers clear, crisp images and text page after page
- Sharpdesk Mobile app enables printing from or scanning to mobile devices such as smart phones and tablets
- ID Card Copy function quickly copies both sides of an ID card on to a single page
- Standard wireless networking capabilities for easy placement and setup
- Supports popular mobile technologies such as Airprint® and Google Cloud Print™



Front USB port for easy direct printing of files from memory devices, including PDFs.

MX-B350W/MX-B450W SPECIFICATIONS

MX-B350W/B450W	s Base models include multitasking controller, 50-sheet RSPF, auto duplexing, 1 x 500-sheet paper drawer,
	50-sheet bypass tray. Starter toner and full developer is included.
Туре	Desktop monochrome multi-function document system
Display	5-line LCD Panel
Copy System	Dry electrostatic transfer/Dual component developer/Magnetic brush development/OPC drum/roller fusing/white
	LED exposure
Originals	Sheets and bound documents
Max. Original Size	8½" x 14"
Output Size	Min 5½" x 14", Max 8½" x 14"
Multiple Copy	Max. 999 pages
Copy Speed	35/45 ppm
First Copy Time	MX-B350W MX-B450W
(in seconds)*	Platen Glass 9.0 8.5
	Doc. Feeder 9.5 9.0
Warm Up Time	29 seconds
Magnification	25% to 400% on platen (with document feeder 25%-200%)
Original Feeder	50-sheet RSPF
Scan Speed	Copy: Up to 40 ipm (B&W)
Donor Conseils	Scan: Up to 40 ipm (B&W), 13 ipm (color)
Paper Capacity	Standard: 550 Sheets/Maximum: 1,150 Sheets Standard: (1) F00 sheet pages drawer (letter/data-ment size) System and 50 sheet hunges tray
Paper Feed System	Standard: (1) 500-sheet paper drawer (letter/statement size) System and 50-sheet bypass tray (letter/legal/statement/envelope size). Optional: 600-sheet drawer (letter/legal).
Paper Weights	Paper drawers: 16-28 lb. bond. Other paper types include plain, pre-printed, recycled,
and Types	pre-punched, letterhead and color paper. Bypass tray: 16-28 lb. bond (plain paper), 13-16 lb. bond (thin
anu rypes	paper), 28 lb. bond-80 lb. cover (heavy paper), 20-24 lb. bond Monarch/Com-10 envelope. Also label
	paper, gloss paper, pre-printed, recycled, pre-punched, letterhead, color paper and OHP film.
Duplexing	Standard automatic duplex copying and printing
CPU	Up to 800 Mhz multi-processor design
Interface	RJ-45 Ethernet (10Base-T, 100Base-TX, 1000Base-T), Wireless (IEEE802.11 n/g/b), USB 2.0 (1 host ports
III.GI IAUG	front), USB 2.0 (1 device port, rear)
Memory	Standard 1 GB copy/print shared
Copy Resolution	Up to 600 x 600 dpi
Exposure Control	Modes: Text, Text/Print Photo, Photo. Settings: Auto or 5 step manual Halftone 256 gradations
Exposure control	/ 2 level monochrome
Copy Features	Scan-Once Print-Many, electronic sorting, Auto Tray Switching (ATS), centering, ID Card Copy, Sharpness,
	2-in-1 / 4-in-1 multi shot
Account	Up to 30 users. Supports user-number authentication
Control	The second secon
Firmware	Firmware can be updated by USB memory
Management	
Device Setup	Web-based management/cloning with user/admin level login
Service/Functions	Remote access to service logs and click counts
Accessibility	Section 508, concave key, operation position, BEEP sound on standard values, adjustment of key touch
Features	speed, adjustment of key touch sound, key repeat disable, screen timeout disable, adjustment of
	key touch sound, job program, universal handle accessibility support of status LED
Environmental	European RoHS
Standards	
Power	AC 120 VAC, 60 HZ, 15 A receptacle
Power	1.44kW
Consumption	
Weight	Approx. 64 lbs.
Dimensions	Approx. 19 3/8" (w) x 20 3/8" (d) x 22 1/16" (h)
Network Printing S	•
PDL	Standard PCL 6, PostScript 3 compatible
Resolution	600 x 600 dpi
Print Speed	35/45 ppm (8½" x 11")
Print Drivers	$Windows\ Server^{\scriptsize\textcircled{@}}\ 2008,\ Windows\ Server^{\scriptsize\textcircled{@}}\ 2008\ x64,\ Windows\ Server\ 2012\ x64,\ Windows\ 7,\ Windows\ 7$
	x64,Windows8.1,Windows8.1x64,Windows10,Windows10x64,WindowsServer2016x64,MacOS
	X® (including 10.6 to 10.14)
Features	Windows cluster print, ROPM, duplex printing, driver delivery functions, toner save mode, electronic

Main Specification	
Direct Printing	TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF (without password only), PostScript
File Types	
Direct Print	FTP, USB memory, webpage, email and network folder
Methods	
Resident Fonts	80 outline fonts (PCL), 136 fonts (PS)
Network Interface	RJ-45 Ethernet, 10 Base-T/100 Base-TX /1000 Base-T, USB 2.0, wireless
Operating Systems	Windows Server 2008, 2012 & 2016, Windows Systems 7, Windows 8, Window 10, Mac OS (X10.6 – 10.14)
Network	TCP/IP (IPv4, IPv6), USB 2.0
Protocols	
Printing	LPR, IPP, Raw TCP (port 9100) and FTP
Protocols	
Network Security	IP/MAC address filtering, protocol filtering, port management and user authentication
Mobile Device	Supports Sharpdesk Mobile software, a free downloadable app for mobile products such as iPad®,
Access	iPhone®, Android™, Windows® 10, 8.1 or Windows RT 8.1 devices. For supported versions,
	please visit www.sharpusa.com
Network Scanning	·
Scan Modes	Standard: color, monochrome, grayscale
Max. Original Size	8½" x 14"
Optical Resolution	600 dpi
Output Modes	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi
Image Formats	Monochrome: TIFF, PDF
	Color Grayscale/Color: TIFF, JPEG, PDF
Image	Monochrome Scanning Uncompressed, G3 (MH), G4, (MR/MMR) Color/Grayscale JPEG (high, middle, low)
Compression	
Scan Destinations	E-mail, Desktop, FTP, Folder (SMB), USB, Super G3 fax
One-touch	Up to 100 (email address only)
Destinations	
	Up to 300 (email address only)
Programs	2
Network Protocols	SMTP/FTP (TCP/IP)
Network Security	User authentication with LDAP and Active Directory
Super G3 Fax	
Transmission	Super G3, G3
Mode	capor adj ad
Modem	33.6 KBPS
Speed	50.5 (1.5) 5
Compression	MMR, MR, MH, JBIG
Methods	, mil, mil, 050
Scanning Method	Sheet fed simplex or duplex or book
Max. Resolution	Approx. 206 x 391 dpi
Transmit Speed*	Less than 3 seconds
Auto Dialing	Up to 300
Group Dial	Up to 100
Inbound Fax	SMB
Routing	
Memory	64MB (built-in)
Halftone	256 levels
Optional Equipmen	t
MX-DS22N	High Stand
MX-DS23N	Low Stand
MX-CS14N	600-sheet Paper Feed Unit
Supplies	
MX-B45NT	Toner Cartridge
MX-B45NV	Developer
MX-B45DU	Drum Unit
*	

 $^{^{\}star}$ May vary depending on product configuration, machine settings and operating and/or environmental conditions.



Main Specifications (continued)







SHARP ELECTRONICS CORPORATION 100 Paragon Drive, Montvale, NJ 07645 1-800-BE-SHARP • www.sharpusa.com Design and specifications subject to change without notice. Sharp, Sharpdesk, My Sharp and all related trademarks are trademarks or registered trademarks of Sharp Corporation and/or its affiliated companies. Windows, Windows Server are registered trademarks of Microsoft Corporation. Adobe and PostScript are registered trademarks of Adobe Systems Inc. Google Cloud Print is a trademark or registered trademark of Google LLC. Mac OS and Airprint are registered trademarks of Apple Inc. BLI Reliability award based on devices tested from January 2012 through May 2018. All other trademarks are the property of their respective owners.